

1/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 10200000806 Print Date: 07.09.2017

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Banol® Turf and Ornamental Systemic Fungicide

Product code (UVP) 05933765

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd

ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East

Victoria Australia

Telephone (03) 9248 6888 **Telefax** (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service **Website** www.environmentalscience.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Propamocarb hydrochloride

Signal word: Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing mist and spray.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local regulation.



2/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Propamocarb hydrochoride 722 g/l (600g/l propamocarb) Soluble concentrate (SL)

Chemical name	CAS-No.	Concentration [%]
Propamocarb hydrochloride	25606-41-1	66.50
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice Remove contaminated clothing immediately and dispose of safely.

Inhalation Move the victim to fresh air and keep at rest.

Keep patient warm and at rest. If symptoms persist, call a physician.

Skin contact Wash off with soap and water. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms The following symptoms may occur:, Lethargy, Ataxia, Spasm

4.3 Indication of any immediate medical attention and special treatment needed

Risks This product, although being a carbamate, is NOT a cholinesterase

inhibitor.

Treatment Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

Contraindication: atropine.



3/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Carbon monoxide

(CO), Hydrogen chloride (HCI), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

Further information Remove product from areas of fire, or otherwise cool containers with

water in order to avoid pressure being built up due to heat. Avoid contact with spilled product or contaminated surfaces. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem CodeNot applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. When

dealing with a spillage do not eat, drink or smoke. Keep people away from and upwind of spill/leak. Use personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection No special precautions required.



4/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

against fire and explosion

Hygiene measures Avoid contact with skin, eyes and clothing. Remove soiled clothing

immediately and clean thoroughly before using again. Wash hands

before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep out of the reach of children. Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and

well-ventilated place. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb hydrochloride	25606-41-1	1.1 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Additional advice Not established.

8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min

Glove thickness > 0.4 mm Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.



5/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

General protective measures In normal use and handling conditions please refer to the label

and/or leaflet. In all other cases the above mentioned

recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid

Colour colourless to light yellow

Odour slightly perceptible

pH 2.0 - 4.0 at 100 % (23 °C)

Boiling point/boiling range ca. 100 °C Flash point >100 °C

No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature The product is not self-ignitable.

Density ca. 1.09 g/cm³ at 20 °C **Water solubility** completely miscible

Partition coefficient: n-

octanol/water

Propamocarb hydrochloride: log Pow: -1.2

Viscosity, dynamic 34.23 mPa.s at 20 °C

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



6/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity LC50 (Rat) > 4.95 mg/l

Exposure time: 4 h

Acute dermal toxicityLD50 (Rat) > 5,000 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationNo eye irritation (Rabbit)

Sensitisation Sensitising (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment mutagenicity

Propamocarb hydrochloride was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Propamocarb hydrochloride was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Propamocarb hydrochloride did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Propamocarb hydrochloride caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb hydrochloride are related to maternal toxicity.

Assessment STOT Specific target organ toxicity - repeated exposure

Propamocarb hydrochloride did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

May be harmful if inhaled.

May cause skin irritation., May cause sensitisation by skin contact.

May cause eye irritation.

May be harmful if swallowed.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11



7/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 10200000806 Print Date: 07.09.2017

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) > 92 mg/l

static test; Exposure time: 96 h

The value mentioned relates to the active ingredient propamocarb-

hydrochloride.

Chronic toxicity to fish Oncorhynchus mykiss (rainbow trout)

NOEC: > 100 mg/l Exposure time: 21 d

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) > 106 mg/l

static test; Exposure time: 48 h

The value mentioned relates to the active ingredient propamocarb-

hydrochloride.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) > 85 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient propamocarb-

hydrochloride.

Toxicity to other organisms LD50 (Anas platyrhynchos (Mallard duck)) > 1,842 mg/kg

The value mentioned relates to the active ingredient propamocarb-

hydrochloride.

LD50 (Colinus virginianus (Bobwhite quail)) > 1,842 mg/kg

The value mentioned relates to the active ingredient propamocarb-

hydrochloride.

12.2 Persistence and degradability

Biodegradability Propamocarb hydrochloride:

rapidly biodegradable

Koc Propamocarb hydrochloride: Koc: 719

12.3 Bioaccumulative potential

Bioaccumulation Propamocarb hydrochloride:



8/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Propamocarb hydrochloride: Slightly mobile in soils

12.5 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Do not reuse container for any other purpose.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994 Australian Pesticides and Veterinary Medicines Authority approval number: 62826

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Banol® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Abbreviations and acronyms



9/10

Banol® Turf and Ornamental Systemic Fungicide

Version 1 / AUS Revision Date: 04.09.2017 102000000806 Print Date: 07.09.2017

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

AU OEL Australia. OELs. (Adopted National Exposure Standards for Atmospheric

Contaminants in the Occupational Environment)

CAS-Nr. Chemical Abstracts Service number

CEILING Ceiling Limit Value Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure

Standard"

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration

of a particular substance determined over the shortest analytically practicable period of

time which does not exceed 15 minutes.

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SK-SEN Skin sensitiser

SKIN_DES SKIN_DES: Skin notation: Absorption through the skin may be a significant source of

exposure.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA

exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the

STEL.

TWA: Exposure standard - time-weighted average (TWA): The average airborne

concentration of a particular substance when calculated over a normal eight-hour

working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous

versions.



10/10

Banol® Turf and Ornamental Systemic Fungicide
Version 1 / AUS
102000000806 Revision Date: 04.09.2017 Print Date: 07.09.2017

END OF SDS