

POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BARMAC

PASPALUM & CLOVER KILLER

Selective Weedkiller

ACTIVE CONSTITUENTS: 74 g/L DSMA 24 g/L MCPA present as the Sodium Salt

For the control of Paspalum, Mullumbimby Couch, Nutgrass, Clovers and other weeds in domestic lawns.

NET CONTENTS500mL



NRA APPROVAL NUMBER 47924/1

DIRECTIONS FOR USE

DO NOT mow for at least 3 days before or after spray application.

DO NOT fertilize for at least 10 days before or after application.

DO NOT apply if rain is expected within 4 hours.

DO NOT apply to damaged or stressed turf.

DO NOT cover spray Buffalo or Kikuyu Lawns - spot spray only.

LAWNS	WEEDS CONTROLLED	RATE COVER SPRAY	RATE SPOT SPRAY	HOW TO APPLY
Couch Lawns	Barnyard Grass	Spray 170ml in 2L of water per 10 m ²	Mix 90ml in 1L of water	Spray weeds when
(Not QLD Blue Couch)	Bindii, Capeweed	of water per 10 m	TL of water	young and vigorous. When spot spraying thoroughly wet weeds
Bent and Fescue	Catsear, Chickweed,	Spray 85ml in 2L	Mix 45ml in	but avoid excessive
Lawns	Clovers	of water per 10m ²	1L of water	run-off. Respray in 10 days if necessary.
Buffalo and Kikuyu	Cotula	DO NOT COVER	Mix 45ml in	
Lawns	Cudweed	SPRAY BUFFALO	1L of water	
	Dandelion	OR KIKUYU		
	Duckweed	LAWNS		
	Fleabane			
	Lamb's Tongue			SPOT SPRAY ONLY
	Mouse-Eared			ON BUFFALO AND
	Chickweed			KIKUYU LAWNS AS
	Mullumbimby Couch			SOME DAMGE TO
	Nutgrass			LAWN IS
	Paspalum			EXPECTED.
	Scarlet Pimpernel			
	Summergrass			
	Water Couch			
	White Clover			

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MATTER CONTRARY TO THIS LABEL UNLESS AUTHORISED.

HOW TO PREPARE: Product can be applied with most garden sprayers. Avoid using fine droplets as this will increase spray drift. It important to apply the recommended spray mixture when weeds are young and actively growing. Results may take time to become evident.

CAUTION:

DO NOT allow spray to contact other plants that you do not want killed.

DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds.

DO NOT feed grass clippings from treated areas to poultry or other animals.

STORAGE AND DISPOSAL: Store in the closed original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in garbage.

SAFETY DIRECTIONS: Poisonous if absorbed by skin contact or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale spray mist. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and contaminated clothing.

FIRST AID: If poisoning occurs contact a Doctor or Poisons Information Centre. If swallowed and if more than 15 minutes from hospital induce vomiting preferably using IPECAC SYRUP APF.

NOTICE

This information is not intended to replace the product label. Failure to use any product in a manner consistent with the label may be illegal, prove dangerous and render the product ineffective. While every endeavour has been made to ensure that this information is accurate and up to date Barmac Industries Pty Ltd will not accept any responsibility for any use of this product based on the information herewith if this use is inconsistent with the label supplied at the time of purchase.