

Safety Data Sheet
according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

1 Identification

Product Name: ProForce Scarlet Trio Insecticide

Other Means of Identification: Mixture

APVMA Approval Number: 92166

Recommended Use of the Chemical and Restriction on Use: Agricultural insecticide

Details of Manufacturer or Importer:

Indigo Specialty Products Pty Ltd
3/49 Donaldson Road, Rocklea, Qld, 4106.

Phone Number: +61 402 735 887

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

STOT RE 2

H373 May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure.



Environment

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Aquatic Acute 2

H401 Toxic to aquatic life.

Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H373 May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

Product Name: ProForce Scarlet Trio Insecticide









(Contd. of page 1)

P273 Avoid release to the environment.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P330 Rinse mouth.
 P314 Get medical advice/attention if you feel unwell.
 P391 Collect spillage.
 P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 210880-92-5	Clothianidin  Aquatic Chronic 1, H410 (M=10);  Acute Toxicity (Oral) 4, H302	10-15%
CAS: 74115-24-5	Clofentezine  Acute Toxicity (Inhalation) 3, H331;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Acute Toxicity (Dermal) 4, H312	5-10%
CAS: 71751-41-2	Abamectin  Acute Toxicity (Oral) 2, H300; Acute Toxicity (Inhalation) 1, H330;  Toxic To Reproduction 2, H361d; STOT RE 1, H372;  Aquatic Chronic 1, H410 (M=10000)	1-2%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and oxides of nitrogen.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

Product Name: ProForce Scarlet Trio Insecticide

(Contd. of page 2)

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Wipe up small spills with a paper towel or dry rag. Clean up all spills immediately, since spilled materials, even in small quantities, may present a slip hazard. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with water and detergents.

7 Handling and Storage**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition.

8 Exposure Controls and Personal Protection**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.**Respiratory Protection:**

Use an approved mixed particulate / organic vapour (filter type A+P) respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Elbow-length chemical resistant gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing, including cotton overalls buttoned to neck and wrist (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

Product Name: ProForce Scarlet Trio Insecticide

(Contd. of page 3)

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Pink, opaque
Odour:	No information available
Odour Threshold:	No information available
pH-Value:	7 - 8 (1%)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Not applicable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	1.07 - 1.13
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: Oxides of carbon and oxides of nitrogen.

11 Toxicological Information

Toxicity:**LD50/LC50 Values:****CAS: 210880-92-5 Clothianidin**

Oral	LD50	>500 mg/kg (rat)
	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
	Inhalation	LC50

CAS: 74115-24-5 Clofentezine

Oral	LD50	>5,200 mg/kg (rat)
	Dermal	LD50
Inhalation	LC50/4 h	>5.2 mg/l (rat)

CAS: 71751-41-2 Abamectin

Oral	LD50	1,230 mg/kg (rat)
------	------	-------------------

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

Product Name: ProForce Scarlet Trio Insecticide

(Contd. of page 4)

Inhalation	LD50	>330 mg/kg (rat)
	LC50/4 h	>4.178 mg/l (rat)

Acute Health Effects**Inhalation:** May cause respiratory irritation.**Skin:** May cause skin irritation.**Eye:** May cause eye irritation.**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for clothianidin for a human is 0.05 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the LOAEL of 9.7 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

The Australian Acceptable Daily Intake (ADI) for clofentezine for a human is 0.02 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 2 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

The Australian Acceptable Daily Intake (ADI) for abamectin for a human is 0.001 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.12 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2022).

12 Ecological Information

Ecotoxicity:

Highly toxic to bees.

CAS: 71751-41-2 Abamectin

LC50/24 h	0.002 µg/bee (bee)
LD50	0.009 µg/bee (bee)
LD50	>2,000 mg/kg (bobwhite quail)
LC50	3,120 ppm (bobwhite quail)

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

Product Name: ProForce Scarlet Trio Insecticide

(Contd. of page 5)

CAS: 210880-92-5 Clothianidin	
EC50/48 h	>119 mg/l (daphnia magna)
LC50/96 h	>104.2 mg/l (rainbow trout)
CAS: 71751-41-2 Abamectin	
EC50/96 h	7.3 mg/l (algae)

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number	UN3082
ADG, IMDG, IATA	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin, Clothianidin)
ADG, IATA	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin, Clothianidin), MARINE POLLUTANT
Dangerous Goods Class	
ADG Class:	9
Packing Group:	
ADG, IMDG, IATA	III
Marine pollutant:	Yes
EMS Number:	F-A,S-F
Hazchem Code:	•3Z
Special Provisions:	274, 331, 335, 375, AU01
Transport/Additional information:	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
Excepted quantities (EQ):	E1
Limited Quantities:	5 L
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01
Packagings & IBCs - Special Packing Provisions:	PP1
Portable Tanks & Bulk Containers - Instructions:	T4

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 05.01.2023

Revision: 05.01.2023

Product Name: ProForce Scarlet Trio Insecticide

(Contd. of page 6)

Portable Tanks & Bulk Containers - Special Provisions:

TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 92166.

16 Other Information

Date of Preparation or Last Revision: 05.01.2023

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 2: Acute toxicity – Category 2

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 1: Acute toxicity – Category 1

Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3

Toxic To Reproduction 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Indigo Specialty Products Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.